

In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgrupe.com - www.ctc.fr
Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/955/162/05/12/0357 - EXT 02/06/12

To the following model of personal protective equipment :

* protective glove against mechanical risks.

* reference of the model : BLUE LONG 300950740442(size 8/M) / 300950740443(size 9/L) / 300950740444(size 10/XL)

* responsible for placing on the market :

SHANGHAI OMA SAFETY PRODUCTS CO., LTD.
ROOM 506, NO. 23, LANE 423, XINCUN ROAD, SHANGHAI, 200065
CHINA

* distributor :

Vicsa Safety S.A.
Pintor Cicarelli 683, San Joaquín, Santiago, Chile
Chile

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on June 29th, 2012

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : BLUE LONG 300950740442(size 8/M) / 300950740443(size 9/L) / 300950740444(size 10/XL)

Minor Variant of the model :16153110

Dated : JUNE, 2012

Premium blue PVC double dipped gauntlet with soft PVC/Polyester sleeve, sandy finish, seamless cotton knitted liner in 13 gauge, with PVC hold at cuff, 60 cm.

Available sizes :

8/300950740442, 9/300950740443,
10/300950740444

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	BLUE	PVC		1.30MM
	WHITE	COTTON	13	
BACK	BLUE	PVC		1.30MM
	WHITE	COTTON	13	
LINING	WHITE	COTTON	13	
CUFF	BLUE	PVC		1.00MM
	WHITE	COTTON	13	
	BLUE (sleeve)	PVC/Polyester		0.80mm
BINDING	yellow	elastic		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * Directive 2002/61/CE : - This product fulfills the requirements given by the Directive.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60551-12, SH60613-12, SH60552-12		SH60551-12
Azo	SH60551-12, SH60613-12, SH60552-12		
EN 388	SH60551-12		

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	3	1

The levels of performance have been measured on the palm

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: BLUE LONG 300950740442(size 8/M) / 300950740443(size 9/L) / 300950740444(size 10/XL)
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:



SHANGHAI OMA SAFETY PRODUCTS CO., LTD.

MANUFACTURER'S TECHNICAL FILE

Reference of the product	:	BLUE LONG 300950740442(size 8/M) / 300950740443(size 9/L) / 300950740444(size 10/XL)
Technical file index	:	01
Last update	:	JUNE, 2012

IDENTIFICATION

Reference of the product :	:	BLUE LONG 300950740442(size 8/M) / 300950740443(size 9/L) / 300950740444(size 10/XL)
Minor Variant of the model :	:	16153110
Technical file index :	:	01
Last update :	:	JUNE, 2012

CE Type Examination Applicant :

SHANGHAI OMA SAFETY PRODUCTS CO., LTD.
ROOM 506, NO. 23, LANE 423, XINCUN ROAD, SHANGHAI, 200065
CHINA
tel : 0086-21-31335000
fax : 0086-21-32092350

Manufacturer :

SHANGHAI OMA SAFETY PRODUCTS CO., LTD.
ROOM 506, NO. 23, LANE 423, XINCUN ROAD, SHANGHAI, 200065
CHINA
tel: 0086-21-31335000
fax: 0086-21-32092350

Distributor :

Vicsa Safety S.A.
Pintor Cicarelli 683, San Joaquín, Santiago, Chile
Chile
Tel : 56-2-5894100
Fax : 56-2-6337541

GLOVE DESCRIPTION

Glove description :

Premium blue PVC double dipped gauntlet with soft PVC/Polyester sleeve, sandy finish, seamless cotton knitted liner in 13 gauge, with PVC hold at cuff, 60 cm.

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
600	8/300950740442
610	9/300950740443
620	10/300950740444

Glove constitution :

	Reference	Colour	Material	Surfacic mass	Gauges	Thickness
PALM		BLUE	PVC	800g/m2		1.30MM
		WHITE	COTTON	180g/m2	13	
BACK		BLUE	PVC	800g/m2		1.30MM
		WHITE	COTTON	180g/m2	13	
LINING		WHITE	COTTON	180g/m2	13	
CUFF		BLUE	PVC	650g/m2		1.00MM
		WHITE	COTTON	180g/m2	13	
		BLUE (sleeve)	PVC/Polyester	500g/m2		0.80mm
BINDING		yellow	elastic			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5

PH of glove and lining is greater than 3.5 and lower than 9.5 : yes

Chromium VI lower than the detection limit : conform

Size : conform

Directive 2002/61/CE :

This product fulfills the requirements given by the Directive 2002/61/CE (Azo dyes).

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003


Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	3
Puncture resistance	1

TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60551-12, SH60613-12, SH60552-12		SH60551-12
Azo	SH60551-12, SH60613-12, SH60552-12		
EN 388	SH60551-12		

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :
 Logo 
 Glove's reference : BLUE LONG 300950740442(size 8/M) / 300950740443(size 9/L) / 300950740444(size 10/XL)
 Size indicator
 Pictograms related to risks against which protection is offered with performance levels
 Information pictogram

Marking example :



Method of marking on the glove :

Printing on the back of gloves.

Packaging :

One dozen pairs in a polybag, 10 dozen pairs in an export carton.

MEANS OF CONTROL

- 1) Regular occupation training.
- 2) Technicians in charge of sourcing the qualified materials, e.g. Acrylic and yarn.
- 3) Before sewing, the raw materials are tested in accordance with the EN420+AZO Dyes Directive.
- 4) Automatic sewing machines guarantee good stitchwork and workmanship.
- 5) Cutting with moulds to ensure the accurate size and shape of products.
- 6) Dipping with production line and by automatic machines to guarantee average quality.
- 7) During the production, the tests are made to check the PH, CrVI, AZO DYES.
- 8) Every month, we make the tests to ensure the finished products in accordance with the EN388 and EN420.
- 9) Practical inspectors check the products by 100% to ensure all the products are with good quality.
- 10) A vice director take responsibility for quality control of all above process.

INSTRUCTION FOR USE

SHANGHAI OMA SAFETY PRODUCTS CO., LTD.

ROOM 506, NO. 23, LANE 423, XINCUN ROAD, SHANGHAI, 200065

CHINA

Glove reference : BLUE LONG 300950740442(size 8/M) / 300950740443(size 9/L) /
300950740444(size 10/XL)

Available sizes : 8/300950740442, 9/300950740443, 10/300950740444

Glove description :

Premium blue PVC double dipped gauntlet with soft PVC/Polyester sleeve, sandy finish, seamless cotton knitted liner in 13 gauge, with PVC hold at cuff, 60 cm.

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE : innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :



Application :

Mechanical hazard - EN 388



4131

Levels of performance

Abrasion resistance	4
Blade cut resistance	1
Tear resistance	3
Puncture resistance	1

Protection limit :

The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.